

CARPOLOGY AT THE MOSCOW UNIVERSITY. SECOND HALF OF THE 20TH CENTURY–EARLY 21ST CENTURY

© 2021 A. G. Devyatov^{a,#} and I. M. Kalinichenko^{a,##}

^a *Lomonosov Moscow State University, Biological Faculty
Leninskiye Gory, 1, str. 12, Moscow, 119991, Russia*

[#] *e-mail: adeviatov@yandex.ru*

^{##} *e-mail: kaliniche@mail.ru*

DOI: 10.31857/S0006813621080020

The development of carpology, reproductive biology in the Moscow University in the second half of 20th and the beginning of 21st century is described. The contribution of botanists of the Moscow University to investigation of fruit and seed morphology, anatomy and micromorphology by means of light and electronic microscopy is demonstrated. The application of carpological methods in plant taxonomy and phylogeny is considered.

Keywords: botany, carpology, reproductive biology, history of botany, Moscow University

ACKNOWLEDGMENTS

We thank Dmitry D. Sokoloff for his comments that improved the manuscript and M.G. Pimenov, A.P. Sukhorukov, T.A. Fedorova, O.V. Yurtseva for information and other colleagues for help with the work.

This work was supported by Government order for the Lomonosov State University № 121032500084-6.

REFERENCES

- Anatomia seminum comparativa. T. 1–7 (additions). 1985–2013. Leninopoli; Petropoli (In Russ.).
- Basilevskaya N.A., Voronchikhin V.V. 1974. Opredeleeniye po plodam vidov rodov *Glycyrrhiza* L. i *Meristotropis* Fisch. et Mey. flory SSSR [Determination of USSR flora's species of genera *Glycyrrhiza* L. and *Meristotropis* Fisch. et Mey. by fruits]. – In: Sostavleniye opredeliteley rasteniy po plodam i seminam: Metod. razrabotki. Kiyev. P. 10–28 (In Russ.).
- Bobrov A.V.F.Ch., Melikian A.P. 2006. A new class of coniferophytes and its system based on the structure of the female reproductive organs. – *Komarovia*. 4: 47–115 (In Russ.).
- Bobrov A.V., Melikian A.P., Romanov M.S. 2009. Morfogenез plodov Magnoliophyta [Morphogenesis of fruits Magnoliophyta]. Moscow. 398 p. (In Russ.).
- Bobrov A.V.F.Ch., Romanov M. S., Melikian A.P. 2011a. Trial of reconstruction of fruit morphogenesis in palm family (Arecaceae). – *Bull. Mosc. Soc. Natur. Biol. ser.* 116 (6): 40–47 (In Russ.).
- Bobrov A.V.F.Ch., Romanov M.S., Palmarola Bejerano A. 2011b. New morphogenetic fruit types and their relationships. – In: *Carpology and reproductive biology of higher plants. Proceedings of the Russian conference with international participation dedicated to the memory of Professor A.P. Melikian (18–19 October 2011, Moscow)*. Moscow. P. 56–62 (In Russ.).
- Bobrov A.V.F.Ch., Romanov M.S. 2019. Morfogenesis of fruits and types of fruit of angiosperms. – *Bot. Letters*. 166 (3): 366–399.
- Botanicheskiy sad Moskovskogo universiteta. 1706–1981. (Bibliografiya). 1981 [The Botanical garden of Moscow University. 1706–1981. (Bibliography)]. Moscow. 180 p. (In Russ.).
- Botanicheskiy sad Moskovskogo universiteta. 1706–2006. Pervoe nauchnoe botanicheskoe uchrezhdenie Rossii. 2006 [The Botanical garden of Moscow University (1706–2006). The first scientific botanical institution of Russia]. Moscow. 279 p. (In Russ.).
- Botanicheskiy sad Biologicheskogo fakulteta Moskovskogo universiteta. 1706–2011: pervomy nauchnomy botanicheskomu uchrezhdeniu Rossii – 305 let. 2012 [The Botanical garden of Biological faculty of Moscow University (1706–2011). The first scientific botanical institution of Russia – 305 years]. Moscow. 351 p. (In Russ.).
- Deviatov A.G. 1992. Morfologo-anatomicheskie priznaki generativnoy sfery v sistematike triby Lychnideae Fenzl: Caryophyllaceae-Silenoideae [Morphological and anatomical traits of generative area in taxonomy of tribe Lychnideae Fenzl: Caryophyllaceae-Silenoideae]: Abst. Diss. ...Kand. Sci. Moscow. 17 p. (In Russ.).
- Deviatov A.G. 2014. Reproduktivnaya ekologiya semennykh rasteniy. Uchebnoe posobiye k letney practice po botanike [The reproductive ecology of the seed plants. A textbook for summer practice]. Moscow. 108 p. (In Russ.).
- Deviatov A.G., Kalinichenko I.M. 2018. The carpology at the Moscow University. From G.-F. Hoffmann to N.N. Kaden. – *Bot. Zhurn.* 103 (2): 1634–1642 (In Russ.).
- Deviatov A.G., Kalinichenko I.M. 2020. The carpology at the Moscow University. Collections. – *Bot. Zhurn.* 105 (1): 87–92 (In Russ.).
- Deviatov A.G., Yurtseva O.V. 2019. Fruit anatomy in the genus *Atraphaxis* L. (Polygonaceae, Polygoneae). – In: *Plant anatomy: traditions and perspectives. Materials Intern. Symp. dedicated 90th anniversary Prof. L.I. Lotova, Septemer 16–22, 2019. Moscow. Pt. 1.* P. 53–57 (In Russ.).

- Dzhalilova Kh.Kh., Timonin A.C., Veselova T.D. 2015. Stalactite development in the exotesta cell walls of *Amaranthus retroflexus* L. (Amaranthaceae): an unusual way of cell wall lysis. — *Wulfenia*. 22: 113–125.
- Efimov S.V., Romanova E.S. 2011. Comparative micro- and macromorphology of seeds in species and hybrid forms of *Paeonia* L. (Paeoniaceae) as a perspective for identification and classification of peony varieties. — In: *Carpology and reproductive biology of higher plants. Proceedings of the Russian conference with international participation dedicated to the memory of Professor A.P. Melikian (18–19 October 2011, Moscow)*. Moscow. P. 109–114 (In Russ.).
- Grevtsova N.A., Lotova L.I. 1989. Struktura semennoy kozhury nekotorykh amerikanskikh vidov lyupina [The structure of seed coat in some American *Lupinus* species]. — In: *Teoreticheskaya i prakticheskaya karpologiya. Tezisy dokladov Vsesoyuznoy konferentsii (30 oktyabrya – 1 noyabrya 1989 g.)*. Kishinev. P. 48 (In Russ.).
- Gromenko I.S., Lotova L.I. 2014. Comparative anatomy of fruits in representatives of Maloideae (Rosaceae). — In: *Kaden's Memorial Book [Book in Memory of Prof. Kaden]*. Moscow. P. 85–116 (In Russ.).
- Kljuykov E.V., Liu M., Ostroumova T.A., Pimenov M.G., Tilney P.M., van Wyk B.E. 2004. Towards a standardised terminology for taxonomically important morphological characters in the Umbelliferae. — *S. Afr. J. Bot.* 70: 488–496.
- Kljuykov E.V., Ostroumova T.A., Ukrainskaya U.A., Zakharova E.H. 2017. Rabota nad elektronnyim atlasom-opredelitelem plodov zontichnykh v botanicheskom sadu MGU [The work at the electronic atlas-determinant of the fruits of the Umbelliferae in the Botanical garden MSU]. — In: *Ekologiya biosistem: problemy izucheniia, indeksatsii i prognozirovaniya: sbornik materialov III Mezhdunarodnoy nauchno-prakticheskoy konferentsii, posvyashchennoy 85-letiyu Astrakhanskogo gosudarstvennogo universiteta. (21–26 August 2017, Astrakhan)*. Astrakhan. P. 98–102 (In Russ.).
- Kljuykov E.V., Ostroumova T.A., Zakharova E.H., Ukrainskaya U.A., Petrova S.E. 2018. Atlas of fruits of the Umbelliferae distributed across the European part of Russia. Moscow. 208 p. (In Russ.).
- Konstantinova A.I. 1998. Sravnitel'noe morfologo-anatomicheskoe issledovanie plodov predstaviteley Umbelliferae – Hydrocotyloideae [Comparative morphological and anatomical investigation of some members of Umbelliferae – Hydrocotyloideae]: Abstr. Diss. ... Cand. Sci. Moscow. 25 p. (In Russ.).
- Konstantinova A.I. 2011. The levels of carpological organization and basal lineages within Apiales. — In: *Carpology and reproductive biology of higher plants. Proceedings of the Russian conference with international participation dedicated to the memory of Professor A.P. Melikian (18–19 October 2011, Moscow)*. Moscow. P. 119–121 (In Russ.).
- Konstantinova A.I., Nilova M.V. 2011. Carpological review of the main taxa of Apiales. — In: *Kaden's Memorial Book [Book in Memory of Prof. Kaden]*. Moscow. P. 85–116 (In Russ.).
- Kramina T.E. 2011. Seed coat ultrasculpture and ultrastructure in the genera *Lotus*, *Keberita* and *Antopetitia* (Leguminosae – Loteae) in taxonomic and eco-geographical context. — In: *Kaden's Memorial Book [Book in Memory of Prof. Kaden]*. Moscow. P. 129–157 (In Russ.).
- Loseva S.I., Lotova L.I. 1996. The pericarp and sporoderm peculiarities of Leguminous plant with different ways of dissemination. — *Bull. Mosc. Soc. Natur. Biol. ser.* 101 (2): 86–94 (In Russ.).
- Lotova L.I., Rud'ko A.I. 1999. Anatomical features of the fruits of the different morphological types in the family Cruciferae. — *Bull. Mosc. Soc. Natur. Biol. ser.* 104 (6): 49–57 (In Russ.).
- Lyskov D.F. 2015. Sistematika roda *Prangos* (Umbelliferae, Apioideae) i sblizhaemykh taksonov: sopostavlenie morfologo-anatomicheskikh i molekuliarnykh dannykh [Taxonomy of genus *Prangos* and related taxa: a comparison of morphological, anatomical and molecular data]: Abstr. Diss. ... Cand. Sci. Moscow. 19 p. (In Russ.).
- Lyskov D.F., Valiejo-Roman C.M., Samigullin T.H., Pimenov M.G. 2012. *Polylophium* as a part of *Laserpitium* (Umbelliferae): molecular and morphological evidence. — *Bot. Zhurn.* 97 (5): 613–625 (In Russ.).
- Melikian A.P. 2004. Research in reproductive plant biology at Higher Plants Department. — *Bull. Mosc. Soc. Natur. Biol. Ser.* 109 (6): 37–39 (In Russ.).
- Melikian A.P., Bobrov A.V. 1998. Specific structures of seed coat in Podocarpaceae Endl. 1847 and a possibility of using them in family systematics. — *Bull. Mosc. Soc. Natur. Biol. ser.* 103 (1): 56–62 (In Russ.).
- Melikian A.P., Deviatov A.G. 2001. Osnovnye karpologicheskiye terminy. Spravochnik [The basic carpological terms. The guide]. Moscow. 47 p. (In Russ.).
- Ostroumova T.A., Kljukov E.V., Lavrova T.V., Ukrainskaya U.A. 2019. Delimitation of the genera *Katapsuxis*, *Cnidiocarpa* and *Selinum* (Umbelliferae) and the taxonomical synopsis. — *Turczaninowia*. 22 (2): 43–57 (In Russ.).
- Ostroumova T.A., Pimenov M.G. 1997. Carpological diversity of African *Peucedanum* s.l. I. The species of Southern Africa. II. Tropical African species. — *Feddes Report.* 108 (5–6): 299–318; 108 (7–8): 533–547.
- Ostroumova T.A., Pimenov M.G., Ukrainskaya U.A. 2010. Micromorphological diversity of hairs and emergences on fruits in the Umbelliferae and taxonomic value. — *Bot. Zhurn.* 95 (9): 1219–1231 (In Russ.).
- Pimenov M.G. 2010a. The Umbelliferae studies at Moscow University: From Hoffmann to the present days. — *Plant Div. Evol.* 128 (1–2): 5–21.
- Pimenov M.G. 2010b. Umbelliferae/Apiaceae systematics in bicentennial threshold of Hoffmann's "Genera Plantarum Umbelliferarum". — In: *XII Moscow Plant Phylogeny Symposium dedicated to the 250th anniversary of Professor Georg Franz Hoffmann: Proceedings (Moscow, 2–7 February, 2010)*. Moscow. P. 25–28 (In Russ.).
- Pimenov M.G., Kljukov E.V. 2002. The Umbelliferae of Kirghyza. Moscow. 288 p. (In Russ.).
- Pimenov M.G., Ostroumova T.A. 2012. Umbelliferae of Russia. Moscow. 477 p. (In Russ.).

- Pimenov M.G., Ostroumova T.A. 2014. Carpological characters in the Umbelliferae systematics. – In: Kaden's Memorial Book [Book in Memory of Prof. Kaden]. Moscow. P. 158–172 (In Russ.).
- Plant anatomy: traditions and perspectives. Materials of International Symposium dedicated 90th anniversary Prof. L.I. Lotova, September 16–22, Moscow: In 2 pt. 2019. Moscow. Pt. 1. 304 p.; Pt. 2. 319 p. (In Russ.).
- Polevova S.V. 2019. Comparative carpology of *Psephellus* and allied genera. – In: Plant anatomy: traditions and perspectives. Materials of International Symposium dedicated 90th anniversary Prof. L.I. Lotova, September 16–22, Moscow. Moscow. Pt. 2. P. 224–252 p. (In Russ.).
- Remizova M.V., Sokoloff D.D., Nilova M.V., Ploshinskaya M.E. 2018. Scientific ideas of A.C. Timonin (on his 60th anniversary). – Bot. Zhurn. 103 (3): 396–416 (In Russ.).
- Romanov M.S., Bobrov A.V.F.Ch. 2011. Fruits' morphogenesis in early Angiosperms. – In: Carpology and reproductive biology of higher plants. Proceedings of the Russian conference with international participation dedicated to the memory of Professor A.P. Melikian (18–19 October 2011, Moscow). Moscow. P. 186–195 (In Russ.).
- Sokoloff D.D. 2003. Morfologiya i sistema triby Loteae DC. semeistva Leguminosae [Morphology and taxonomy of the tribe Loteae DC. (Leguminosae)]: Abstr. Diss. ... Doct. Sci. Moscow. 42 p. (In Russ.).
- Sokoloff D.D., Remizova M.V., Macfarlane T.D., Rudall P.J. 2008. Classification of the early-divergent angiosperms family Hydatellaceae: one genus instead of two, four new species and sexual dimorphism in dioecious taxa. – Taxon. 57 (1): 179–200.
- Sokoloff D.D., Remizova M.V., Macfarlane T.D., Conran J.G., Yadav S.R., Rudall P.J. 2013. Comparative fruit structure in Hydatellaceae (Nymphaeales) reveals specialized pericarp dehiscence in some early-divergent angiosperms with ascidiate carpels. – Taxon. 62 (1): 40–61.
- Sukhorukov A.P. 2014. The carpology of the Chenopodiaceae with reference to the phylogeny, systematics and diagnostics of its representatives. Tula. 400 p. (In Russ.).
- Sukhorukov A.P. 2015. Karpologia semeistva Chenopodiaceae v svyazi s problemami filogenii, sistematiki i diagnostiki ego predstaviviteley [The carpology of the Chenopodiaceae with reference to the problems of phylogeny, systematics and diagnostics of its representatives]: Abstr. Diss. ... Doct. Sci. Moscow. 48 p. (In Russ.).
- Sukhorukov A.P., Mavrodiev E.V., Struwig M., Nilova M.V., Dzhililova Kh.Kh., Balandin S.A., Erst A., Krinitsyna A.A. 2015. One-seeded fruits in the core Caryophyllales: their origin and structural diversity. – PLoS ONE. 10 (2): 1–38.
- Tikhomirov V.N. 1958. Sravnitel'naya morfologiya ginetseya i ploda zontichnykh SSSR. Abstr. Diss. ... Kand. Sci. Moscow. 15 p. (In Russ.).
- Tikhomirov V.N. 1977. Proiskhozhdeniye, evolyutsiya i sistema zontichnykh (Umbelliferae Juss. – Apiaceae Lindl.). Abstr. Diss. ... Doct. Sci. Moscow. 39 p. (In Russ.).
- Tikhomirov V.N. 1989a. Karpologiya kak nauchnaya distsiplina [The carpology as scientific area]. – In: Teoreticheskaya i prakticheskaya karpologiya. Tezisy dokladov Vsesoyuznoy konferentsii (30 oktyabrya – 1 noyabrya 1989 g.). Kishinev. P. 10–12 (In Russ.).
- Tikhomirov V.N. 1989b. On the fruits and infrutescence. – Bull. Mosc. Soc. Natur. Biol. ser. 94 (3): 59–65 (In Russ.).
- Tikhomirov V.N., Fedorova T.A. 1996. Morphological study of seeds in the members of the genus (*Amaranthus*). – Bot. Zhurn. 81 (11): 54–62 (In Russ.).
- Tikhomirov V.N., Fedorova T.A. 1997. Comparative anatomy of the seed coat in the representatives of the genus *Amaranthus* (Amaranthaceae). – Bot. Zhurn. 82 (1): 16–24 (In Russ.).
- Timonin A.K. 2019. Sketches to portrayal. – In: Plant anatomy: traditions and perspectives. Materials of International Symposium dedicated 90th anniversary Prof. L.I. Lotova, September 16–22, Moscow. Moscow. Pt. 2. P. 7–44 (In Russ.).
- Timonin A.K., Kulikova G.G., Murashev V.V., Kalinichenko I.M. 2004. Kafedra vysshikh rasteniy Moskovskogo universiteta. 1804–2004. Publikatsii i biograficheskiye svedeniya [Department of Higher plants of Moscow University. 1804–2004. The publications and the biographic information]. Moscow. 340 p. (In Russ.).
- Veselova T.D., Dzhililova Kh.Kh., Remizova M.V., Timonin A.C. 2012. Embryology of *Talinum paniculatum* (Jacq.) Gaerth. and *T. triangulare* (Jacq.) Willd. (Portulacaceae s.l., Caryophyllales). – Wulfenia. 19: 107–129.
- Veselova T.D., Dzhililova Kh.Kh., Timonin A.C. 2011. Atypical fruit of *Talinum triangulare* (Jacq.) Willd., the type species of the genus *Talinum* (Talinaceae, former Portulacaceae). – Wulfenia. 18: 15–35.
- Veselova T.D., Dzhililova Kh.Kh., Timonin A.C. 2014. Development of seed coat in species of genus *Amaranthus* L. subgenus *Amaranthus* (Amaranthaceae). – In: Kaden's Memorial Book [Book in Memory of Prof. Kaden]. Moscow. P. 54–66 (In Russ.).
- Veselova T.D., Dzhililova Kh.Kh., Timonin A.C. 2018. Dynamics of reserve substance allocation in the ovule and developing seed of *Polycnemum arvense* L. (Polycnemaceae, lower core Caryophyllales). – Wulfenia. 25: 1–16.
- Veselova T.D., Dzhililova Kh.Kh., Timonin A.C. 2019. Hypostase-“chalazal inclusion” functional complex in core Caryophyllales and metabolite transport in the seed. – In: Plant anatomy: traditions and perspectives. Materials Intern. Symp. dedicated 90th anniversary Prof. L.I. Lotova, September 16–22, 2019, Moscow. Moscow. Pt. 1. P. 194–206 (In Russ.).
- Yurtseva O.V. 2001. Ultrasculpture of achene surface in *Polygonum* sect. *Polygonum* (Polygonaceae) in Russia. – Nord. J. Bot. 21 (5): 513–528.
- Yurtseva O.V., Severova E.E., Mavrodiev E.V. 2017. *Persepolium* (Polygonaceae): A new genus in Polygonaceae based on conventional Maximum Parsimony and Three-taxon statement analyses of a comprehensive morphological dataset. – Phytotaxa. 314 (2): 151–194.
- Zaychenko S.G., Zernov A.S. 2017. Seed anatomy and taxonomy of *Minuartia* s.l. (Caryophyllaceae). – In: Taxonomy and evolutionary morphology of plants: Materials of the Conference dedicated to 85th anniversary of V.N. Tikhomirov (January 31 – February 3, 2017, Moscow). Moscow. P. 172–176 (In Russ.).
- Zaytseva E.S. 2006. Sravnitel'naya karpologiya poryadka Dipsacales v svyazi s voprosami ego sistematiki: Abstr. Diss. ... Kand. Sci. Moscow. 20 p. (In Russ.).