

THE MOSS FLORA OF NILOVA PUSTYN' (EASTERN SAYAN, REPUBLIC OF BURYATIA)

O. M. Afonina

Komarov Botanical Institute RAS
Prof. Popova Str., 2, St. Petersburg, 197376, Russia
e-mail: stereodon@yandex.ru

DOI: 10.31857/S0006813621100021

An annotated list of mosses of Nilova Pustyn' (Tunkinsky National Park, Republic of Buryatia, Eastern Sayan) is provided for the first time. The list includes 162 species, 7 of them (*Anoetangium stracheyanum*, *Anobryum nitidum*, *Didymodon erosodenticulatus*, *Hedwigia emodica* var. *echinata*, *H. mollis*, *Homomallium japonico-adnatum*, *Pseudosymblypharis* cf. *bombayensis*) being newly found in Buryatia. New localities of 4 species listed in the Red Data Book of Republic of Buryatia (*Gollania turgens*, *Haplocladium angustifolium*, *Pseudanomodon attenuatus*, *Struckia enervis*) are reported. The distribution of a number of rare species and the peculiar features of the moss flora of Nilova Pustyn' are discussed.

Keywords: mosses, distribution, flora, phytogeography, Nilova Pustyn', Tunkinsky National Park, Republic of Buryatia, Eastern Sayan, Russia

ACKNOWLEDGMENTS

The study was carried out within the institutional research project of the Komarov Botanical Institute of the Russian Academy of Sciences "Flora and taxonomy of algae, lichens and bryophytes in Russia and phytogeographically important regions of the world", № 121021600184-6.

I am grateful to Ministry of Education and Science for support of CKP "Herbarium of Main Botanical Garden RAS".

REFERENCES

- Afonina O.M. 2019. Contribution to the moss flora of Al-tacheisky Sanctuary (Republic Buryatia). – Bot. Zhurn. 104 (11): 19–35 (In Russ.).
<https://doi.org/10.31857/S0006813619110024>
- Afonina O.M., Ignatova E.A. 2007a. A new species of *Didymodon* (Pottiaceae, Musci) from Asian Russia. – Arctoa. 16: 133–138. <https://doi.org/10.15298/arctoa.16.12>
- Afonina O.M., Ignatova E.A., 2007b. East Asian species of genus *Stereodon* (Brid.) Mitt. (Pylaisiaceae, Musci) in Russia. – Arctoa. 16: 7–20.
<https://doi.org/10.15298/arctoa.16.02>
- Afonina O.M., Tubanova D.Ya. 2010. To moss flora of south-west part of Buryatia (East Sayan). – Novosti Sist. Nizsh. Rast. 44: 257–271 (In Russ.).
<https://doi.org/10.31111/nsnr/2010.44.257>
- Afonina O.M., Czernyadjeva I.V., Ignatova E.A., Kučera J. 2010. Five species of *Didymodon* (Pottiaceae, Bryophyta) new for Russia. – Arctoa. 19: 51–62.
<https://doi.org/10.15298/arctoa.19.03>
- Afonina O.M., Czernyadjeva I.V., Ignatova E.A., Mamontov Yu.S. 2017. Mosses of Zabaikalsky Territory. St. Petersburg. 301 p. (In Russ.).
- Alonso M., Jiménez J.A., Cano M.J. 2018. New synonyms and typifications in *Chionoloma tenuirostre* (Pottiaceae, Bryophyta). – Phytotaxa. 373 (2): 147–154.
<https://doi.org/10.11646/phytotaxa.373.2.5>
- Alonso M., Jiménez J.A., Cano M.J. 2019. Taxonomic revision of *Chionoloma* (Pottiaceae, Bryophyta). – Annals of the Missouri Botanical Garden. 104: 563–632.
- Bai X.-L., Yan Z., Ignatov M.S. 2008. New moss records from China. 1. – Arctoa. 17: 231.
<https://doi.org/10.15298/arctoa.17.16>
- Bardunov L.V. 1965. Mosses of East Sayan. Moscow–Leningrad. 161 p. (In Russ.).
- Bardunov L.V. 1974. Mosses of Altay and Sayan. Novosibirsk. 169 p. (In Russ.).
- Brotherus V.F., Savicz L.I. 1932. Check-list of bryophytes collected by A.A. Elenkin in 1902 in Sayan Mountains and Mongolia. – Izvestiya Botanicheskogo Sada AN SSSR. 30 (1–2): 81–96 (In Russ.).
- Czernyadjeva I.V. 2007. The genus *Anacamptodon* (Amblystegiaceae, Bryophyta) in Russia and Transcaucasia. – Arctoa. 16: 1–16.
<https://doi.org/10.15298/arctoa.16.01>
- Czernyadjeva I.V. 2012. Mosses of Kamchatka Peninsula. Saint Petersburg. 459 p. (In Russ.).
- Czernyadjeva I.V., Ignatova E.A. 2017. Mosses of Ushkaniy Archipelago and islands of Chivyrkuysky Bay (Zabaykalsky National Park, Republic of Buryatia). – Bot. Zhurn. 102 (9): 1203–1218 (In Russ.).
- Czernyadjeva I.V., Ignatova E.A. 2018. Genus 2. *Anobryum* Schimp. – In: Moss flora of Russia. Vol. 4. Bartramiales – Aulacomniales. Moscow. P. 361–368 (In Russ. and Engl.).
- Elenkin A.A. 1902. A brief preliminary account of cryptogams collected in the Sayan Mountains in the summer of 1902. – Izvestiya Saint Petersburg Botanicheskogo Sada. II: 218–220.

- Ellis L.T., Afonina O.M., Andriamiarisoa R.L., Asthana G., Bharti R., Aymerich P., Bambe B., Boiko M., Brugués M., Ruiz E., Sáez L., Cano M.J., Ros R., Cihal L., Deme J., Csiky J., Dihoru, Dřevojan P., Ezer T., Fedosov V.E., Ignatova E., Seregin A.P., Garcia C.A., Martins A., Sérgio C., Sim-Sim M., Rodrigues A.S.B., Gradstein S.R., Reeb C., Irmah A., Suleiman M., Koponen T., Kučera J., Lebouvier M., LiQun Y., Long D.G., Maksimov A.I., Maksimova T.A., Muñoz J., Nobis M., Nowak A., Ochyra R., O'Leary S.V., Osorio F., Pisarenko O.Yu., Plášek V., Skoupá Z., Schäfer-Verwimp A., Schnyder N., Shevock J.R., Ștefănuț S., Sulayman M., Sun B.-Y., Park S.J., Tubanova D.Ya., Váně J.†, Wolski G.J., Yao K.-Y., Yoon Y.-J., Yücel E. 2018. New national and regional bryophyte records, 56. – *Journal of Bryology*. 40 (3): 271–296.
<https://doi.org/10.1080/03736687.2018.1487687>
- Fedosov V.E., Ignatova E.A. 2008. The genus *Bryoerythrophyllum* (Pottiaceae, Bryophyta) in Russia. – *Arctoa*. 17: 153–174. <https://doi.org/10.15298/arctoa.17.02>
- Fedosov V.E., Ignatova E.A., Ignatov M.S., Maksimov A.I. 2011. Rare species and preliminary list of mosses of the Anabar Plateau (Subarctic Siberia). – *Arctoa*. 20: 153174. <https://doi.org/10.15298/arctoa.20.11>
- Fedosov V.E., Ignatova E.A., Ignatov M.S., Maksimov A.I., Zolotov V.I. 2012. Moss flora of Bering Island (Commandor Islands, North Pacific). *Arctoa*. 21: 113–164. <https://doi.org/10.15298/arctoa.21.12>
- Gao C., Vitt D.H., He S. 1999. Dicranaceae. – In: Moss Flora of China. English Version. Beijing, New York and St. Louis, Science Press and Missouri Botanical Garden. 1: 90–241.
- Hodgetts N.G., Söderström L., Blockeel T.L., Caspari S., Ignatov M.S., Konstantinova N.A., Lockhart N., Papp B., Schröck C., Sim-Sim M., Bell D., Bell N.E., Blom H.H., Bruggeman-Nannenga M.A., Brugués M., Enroth J., Flatberg K.I., Garilleti R., Hedenäs L., Holyoak D.T., Hugonnot V., Kariyawasam I., Köckinger H., Kučera J., Lara F., Porley R.D. 2020. An annotated checklist of bryophytes of Europe, Macaronesia and Cyprus. – *Journal of Bryology*. 42 (1):1–116.
<https://doi.org/10.1080/03736687.2019.1694329>
- Ignatov M.S., Afonina O.M., Ignatova E.A., Abolina A., Akatova T.V., Baisheva E.Z., Bardunov L.V., Baryakina E.A., Belkina O.A., Bezgodov A.G., Boychuk M.A., Cherdantseva V.Ya., Czernyjadjeva I.V., Doroshina G.Ya., Dyachenko A.P., Fedosov V.E., Goldberg I.L., Ivanova E.I., Jukoniene I., Kannukene L., Kazanovsky S.G., Kharzinov Z.Kh., Kurbatova L.E., Maksimov A.I., Mamatkulov U.K., Manakyan V.A., Maslovsky O.M., Napreenko M.G., Otnyukova T.N., Partyka L.Ya., Pisarenko O.Yu., Popova N.N., Rykovsky G.F., Tubanova D.Ya., Zheleznova G.V., Zolotov V.I. 2006. Check-List of Mosses of East Europe and North Asia. – *Arctoa* 15: 1–130. <https://doi.org/10.15298/arctoa.15.01>
- Ignatov M.S., Afonina O.M. 2020. *Leptopterigynandrum* Müll. Hal. – In: Moss flora of Russia. Vol. 5. Hypopterygiales – Hypnales (Plagiotheciaceae – Brachytheciaceae). Moscow. P. 219–229 (In Russ. and Engl.).
- Ignatov M.S., Milyutina I.A. 2010. The genus *Brachythecium* (Brachytheciaceae, Musci) in Russia: comments on species and key for identification. – *Arctoa*. 19: 1–30. <https://doi.org/10.15298/arctoa.19.01>
- Ignatov M.S., Ignatova E.A. 2004. Moss flora of the Middle European Russia. Vol. 2. Fontinalaceae – Amblystegiaceae. Moscow. P.: 609–944 (In Russ.).
- Ignatov M.S. 2020. Family Brachytheciaceae Schimp. – In: Moss flora of Russia. Vol. 5. Hypopterygiales – Hypnales (Plagiotheciaceae – Brachytheciaceae). Moscow. P. 407–588 (In Russ. and Engl.).
- Ignatov M.S., Ignatova E.A. 2013. Genus *Homomallium* (Schimp.) Loeske. Versia 10.III.2013 (<http://arctoa.ru/Flora/taxonomy-ru/Homomallium-text-russian.pdf>).
- Ignatov M.S., Ignatova E.A. 2020a. *Isopterygiopsis* Z. Iwats. – In: Moss flora of Russia. Vol. 5. Hypopterygiales – Hypnales (Plagiotheciaceae – Brachytheciaceae). Moscow. P. 82–86 (In Russ. and Engl.).
- Ignatov M.S., Ignatova E.A. 2020b. Genus *Struckia*. – In: Moss flora of Russia. Vol. 5. Hypopterygiales – Hypnales (Plagiotheciaceae – Brachytheciaceae). Moscow. P. 99–101 (In Russ. and Engl.).
- Ignatov M.S., Ignatova E.A. 2020c. *Claopodium*. – In: Moss flora of Russia. Vol. 5. Hypopterygiales – Hypnales (Plagiotheciaceae – Brachytheciaceae). Moscow. P. 419–423 (In Russ. and Engl.).
- Ignatova E.A., Blom H.H. 2017. *Schistidium*. – In: Moss flora of Russia. Vol. 2. Oedipodiales – Grimmiiales. Moscow. P. 438–551 (In Russ. and Engl.).
- Ignatova E.A., Ignatov M.S. 2007. The first record from Siberia *Didymodon glaucus* Ryan (Pottiaceae, Musci). – *Arctoa* 16: 139–143.
<https://doi.org/10.15298/arctoa.16.13>
- Ignatova E.A., Ignatov M.S. 2018. Hedwigiales Ochyra. – In: Moss flora of Russia. Vol. 4. Bartramiales – Aulacomniales. Moscow. P. 48–66 (In Russ. and Engl.).
- Ignatova E.A., Kuznetsova O.I., Ignatov M.S., Köckinger H. 2012. The genera *Oxystegus* and *Pseudosymblypharis* (Pottiaceae, Bryophyta) in the Caucasus. – *Arctoa*. 21: 173–180. <https://doi.org/10.15298/arctoa.21.15>
- Ignatova E.A. 2009. The genus *Anoetangium* (Pottiaceae, Bryophyta) in Russia. – *Arctoa*. 18: 167–176. <https://doi.org/10.15298/arctoa.18.10>
- Ivanov O.V., Kolesnikova M.A., Afonina O.M., Akatova T.V., Baisheva E.Z., Belkina O.A., Bezgodov A.G., Czernyjadjeva I.V., Dudov S.V., Fedosov V.E., Ignatova E.A., Ivanova E.I., Kozhin M.N., Lapshina E.D., Notov A.A., Pisarenko O.Yu., Popova N.N., Savchenko A.N., Teganova V.V., Ukrainskaya G.Yu., Ignatov M.S. 2017. The database of the Moss flora of Russia. – *Arctoa*. 26 (1): 1–10. <https://doi.org/10.15298/arctoa.26.01>
- Ireland R.R. 2007. 2007. Dicranaceae. In: Flora North America Editorial Committee (eds.) *Flora of North America of Mexico*. 27: 358–432.
- Jiménez J.A. 2006. Taxonomic revision of the genus *Didymodon* Hedw. (Pottiaceae, Bryophyta) in Europe, North Africa and southwest and central Asia. – *Journal of Hattori Botanical Laboratory*. 100: 211–292.
- Kalinina (Sergeeva) Yu.M., Lavrskiy A.Yu. 2020. Contribution to the moss flora of Khakasskiy Reserve, cluster “Malyi Abakan” (Republic of Khakassia, Soth Siberia). – *Novosti Sist. Nizsh. Rast.* 54 (1): 165–188 (In Russ.). <https://doi.org/10.31111/nsnr/2020.54.1.165>
- Koponen T., Ignatova E.A. 2018. Mniaceae. – In: Moss flora of Russia. Vol. 4. Bartramiales – Aulacomniales. Moscow. P. 439–517 (In Russ. and Engl.).

- Konstantinova N.A., Mamontov Yu.S., Savchenko A.N. 2018. On the liverwort flora of Tunkinskiy National Park (Republic of Buryatia, Russia). – *Arctoa*. 27: 131–139. <https://doi.org/10.15298/arctoa.27.13>
- Otnyukova T.N. 2002. A study of the *Didymodon* species (Pottiaceae, Musci) in Russia. 1. – *Arctoa*. 11: 337–349. <https://doi.org/10.15298/arctoa.11.23>
- Red Data Book of Republic of Buryatia: Rare and endangered species of animals, plants and fungi. 2013. Ulan-Ude. 340 p. (In Russ.).
- Sim-Sim M., Afonina O.M., Almeida T., Desamore A., Laenen B., Garcia C.A., Gonzalez-Mamcebo J.M., Stech M. 2017. Integrative taxonomy reveals too extensive lumping and a new species in the moss genus *Amphidium* (Bryophyta). – *Systematics and Biodiversity*. 15 (5): 451–463.
- Sofronova E.V. et al. 2016. New bryophyte records. 6. – *Arctoa*. 25(1): 183–288. <https://doi.org/10.15298/arctoa.25.17>
- Tsegmed Ts. 2010. Moss flora of Mongolia. Moscow. 635 p. (In Russ.).
- Tubanova D.Ya., Czernyadjeva I.V., Dugarova O.D. 2020. Contribution to the moss flora of Angirsky and former Atzul'sky Reserves (Republic of Buryatia). – *Bot. Zhurn.* 106 (2): 126–146 (In Russ.). <https://doi.org/10.311857/S0006813620120170>
- Tubanova D.Ya., Ignatova E.A., Zolotov V.I. 2006. New moss records from Republic Buryatia. 1. / New records. – *Arctoa*. 15: 261–263 (In Russ.). <https://doi.org/10.15298/arctoa.15.14>
- Tubanova D.Ya., Mamontov Yu.S., Afonina O.M., Potemkin A.D. 2017. New and rare species in the moss and liverwort flora of the Republic of Buryatia. – *Bot. Zhurn.* 102 (10): 1442–1454 (In Russ.).
- Zander R.H. 1993. Genera of the Pottiaceae: Mosses of harsh environments. – *Bull. Buffalo Soc. Nat. Sci.* 32: 378 p.